

SCF

CONTAINER
SOLUTIONS

20FT DANGEROUS
GOODS SINGLE
SIDE DOOR

20ft Dangerous Goods Single Side Door

SCF's 20ft Dangerous Goods Single Side Door container is designed for the storage of dangerous goods where access is only required from one side. Ideally suited to businesses who are storing over 850L of Class 3 Flammables onsite.

Key Features

- Flexible storage for chemical classes 2, 3, 4, 5, 6, 8 and 9 (subject to MSDS compliance)
- Bunded to contain spillages
- Full single side opening access
- Galvanised steel floor grating
- Raised crossmembers to simplify spill cleanup

Details

Full side access allows this Dangerous Goods container to be easily loaded with a forklift. Small packaging items can also be safely loaded by individuals.

All SCF Dangerous Goods units are compliant with the relevant Australian Standards and come with galvanised steel flooring, bunding to contain spills, raised crossmembers to simplify the clean-up of spills and an emergency exit to ensure no one gets locked in.

Other key safety features include ventilation grills at the top and bottom of the side walls, and safety drain valve for easy cleaning.

Upon delivery, each customer will receive an Independent Certificate of Compliance.

Specifications

20ft Dangerous Goods Single Side Door | DGS20-SSD

Specifications may vary

Internal

Length (mm)	5,898
Width (mm)	2,309
Height (mm)	2,586

External

Length (mm)	6,058
Width (mm)	2,450
Height (mm)	2,896

Weight

Tare (kg)	4,000
Payload (kg)	16,000
MGW (kg)	20,000



Top:
Access your dangerous goods from the side or end of the container.

Middle Left:
The bunded floor collects spills safely.



Middle Right:
Safety discharge valve to control spills and assist in any cleanup.



Below:
Provides flexible storage for chemical classes 2, 3, 4, 5, 6, 8 and 9 (subject to MSDS compliance)





SCF

131 132

CAUTION
135

SCF

131 132

SCF
131 132